F ENT COOPERATION TREA

PCT

THE TANK OF A MAN. SEC.

NOTIFICATION OF ELECTION

(PCT Rule 61.2)

From the INTERNATIONAL BUREAU

To:

Assistant Commissioner for Patents United States Patent and Trademark Office Box PCT Washington, D.C.20231 ETATS-UNIS D'AMERIQUE

Date of mailing (day/month/year)
19 May 2000 (19.05.00)

International application No.
PCT/US99/18618

International filing date (day/month/year)
23 August 1999 (23.08.99)

Applicant

EDEN, Ruth, F.

1.	The designated Office is hereby notified of its election made:
	X in the demand filed with the International Preliminary Examining Authority on:
	24 March 2000 (24.03.00)
	in a notice effecting later election filed with the International Bureau on:
2.	The election X was
	was not
	made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).
i	

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland **Authorized officer**

F. Baechler

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35

Kn

PATENT COOPERATION TREATY

PCT

:	Ċ)	0	1	Α	G	2	1	Ŋ	ſ

INTERNATIONAL	PRELIMINARY	EXAMINATION	REP ORT	Pc
	(DOT 4 (1 1 3)	L D. J. 70)		

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference HT-109PCT	FOR FURTHER ACTION		fication of Transmittal of International y Examination Report (Form PCT/IPEA/416)
International application No.	International filing date (day/	month/year)	Priority date (day/month/year)
PCT/US99/18618	23 AUGUST 1999	-	24 AUGUST 1998
International Patent Classification (IPC) IPC(7): B01J 8/18; F27B 15/00, 15/0	or national classification and I 8; C08F and US Cl.: 422/99,	PC 139, 140, 13	5, 143, 147, 141
Applicant EDEN, RUTH F.			
Examining Authority and is 2. This REPORT consists of a This report is also accombeen amended and are the (see Rule 70.16 and Section 1).	transmitted to the applicant total of sheets. panied by ANNEXES, i.e., she basis for this report and/or sl tion 607 of the Administrative	according to	cription, claims and/or drawings which have ng rectifications made before this Authority.
These annexes consist of a to	otal of sheets.		
IV Lack of unity of V X Reasoned statemer citations and expla VI Certain documents VII Certain defects in t	nt of report with regard to n invention int under Article 35(2) with re mations supporting such states	ovelty, inventaged to novel ment	ntive step or industrial applicability ty, inventive step or industrial applicability;
Date of submission of the demand	Dat	e of completion	on of this report
24 MARCH 2000		26 JUNE 200	0
Name and mailing address of the IPEA		norized office	r
Commissioner of Patents and Trader Box PCT Washington, D.C. 20231		BAO-THUY	L. NGUYEN
Facsimile No. (703) 305-3230	Telo	phone No.	(703) 308-0196



International application No.

PCT/US99/18618

I. B	asis of t	he report						
1 11/24	n magned t	to the elements of the internati	ional ambigation:*					
1. ***	-	ernational application as						
닏		• •	ongany mos					
Х	the de	scription: 1-6		as originally filed				
	pages	NONE		, filed with the demand				
	pages	NONE	, filed with the letter of	, med with the demand				
	pages	NONE	, filed with the letter of					
	the cla	ims:						
لکا		7		, as originally filed				
		NONE	, as amended (together with a	nny statement) under Article 19				
		7a		, filed with the demand				
		NONE	, filed with the letter of					
$\left[\mathbf{x}\right]$	the dra	nwings:						
_	pages	NONE		, as originally filed				
		NONE		, filed with the demand				
	pages	NONE	, filed with the letter of					
_								
X	the sec	quence listing part of the de	escription:	11 671 - 4				
	pages	NONE		, as originally filed				
	pages	NONE		, filed with the demand				
	pages	NONE	, filed with the letter of					
the The	 With regard to the language, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item. These elements were available or furnished to this Authority in the following language which is: the language of a translation furnished for the purposes of international search (under Rule 23.1(b)). the language of publication of the international application (under Rule 48.3(b)). the language of the translation furnished for the purposes of international preliminary examination (under Rules 55.2 and/or 55.3). 							
			amino acid sequence disclosed in the international out on the basis of the sequence listing:	tional application, the international				
	contair	ned in the international ap	pplication in printed form.					
	filed to	ogether with the internation	onal application in computer readable form.					
		ned subsequently to this A						
	1	• •						
	furnished subsequently to this Authority in computer readable form.							
	The sta	atement that the subsequentional application as filed l	tly furnished written sequence listing does not has been furnished.	go beyond the disclosure in the				
	The statement that the information recorded in computer readable form is identical to the writen sequence listing has been furnished.							
4. X	The a	mendments have resulted	in the cancellation of:					
	\mathbf{x}	the description, pages	NONE					
		-	NONE .					
	_	the claims, Nos	NONE					
. —		the drawings, sheets/fig						
5.			ome of) the amendments had not been made, since					
in i	alacamani	sheets which have been furm rt as "originally filed" and	indicated in the Supplemental Box (Rule 70.2(c)). ished to the receiving Office in response to an invite are not annexed to this report since they do not	ution under Article 14 are referred to				
			amendments must be referred to under item 1	and annexed to this report.				



International application No.

PCT/US99/18618

Inventive Step (IS) Claims NONE Claims 1-13 Claims NONE Industrial Applicability (IA) Claims 1-13 Y	statement			
Inventive Step (IS) Claims Claims Claims Claims Claims Claims Claims Industrial Applicability (IA) Claims NONE Claims Claims Claims NONE Claims Claims Claims NONE Claims Claims NONE Claims NONE Claims Claims Claims NONE Claims NONE Claims NONE NONE NONE Claims NONE Claims NONE	Novelty (N)	Claims	1-13	Y
Industrial Applicability (IA) Claims NONE Claims Claims NONE Claims Claims NONE Claims Claims Claims NONE Claims Claims Claims NONE Claims Claims NONE Claims Claims Claims NONE Claims Claims Claims NONE Claims Claims Claims Claims Claims NONE Claims Claims Claims Claims Claims Claims Claims Claims Cl	• • •	Claims	NONE	N
Industrial Applicability (IA) Claims NONE Claims Claims Claims NONE Claims Claims Claims NoNE Claims Claims Claims NoNE Claims Claims NoNE Claims Claims NoNE Claims NoNE Claims Claims NoNE Capture the target material does not teach or fairly suggest a device comprise a device comprisant veside ending of material to capture the target material enclosure. Although Lewis et al and Yang al teach a centrifugal fibrous-bed with at least one antibody material to capture the target microorganisms using a device comprisant veside ending of material enclosing a plurality of beads coated with at least one antibody material to capture the target material enclosing mixed group of microorganisms using a device comprisant enclosity suit and the starbill suit of capture the target material enclosing and plurality of beads coated with at least one antibody material enclosing a device comprisant enclosity suit antibodics one antibody material enclosing a device comprisant enclosity suit antibodics one antibody material d	Inventive Step (IS)	Claims	1-13	Y
Claims NONE Claims NONE Claims 1-13 meet the criteria set out in PCT Article 33(2)-(4), because the prior art does not teach or fairly suggest a dev for separating target microorganism from a suspension containing mixed group of microorganisms using a device compris an enclosure made of grid material enclosing a plurality of beads coated with at least one antibody material to capture the target microorganism. Which device further comprising means to agitate said enclosure. Although Lewis et al and Yang al teach a centrifugal fibrous-bed bioreactor comprising cells immobilized in a spiral wound fibrous matrix packed in the bioreactor which may be used for separating target material, these references fail to teach the use of beads coated with antibodies. NEW CITATIONS NEW C		Claims	NONE	N
Claims NONE Claims NONE Claims 1-13 meet the criteria set out in PCT Article 33(2)-(4), because the prior art does not teach or fairly suggest a devergence for separating target microorganism from a suspension containing mixed group of microorganisms using a device comprisan enclosure made of grid material enclosing a plurality of beads coated with at least one antibody material to capture the target microorganism. Which device further comprising means to agitate said enclosure. Although Lewis et al and Yang at teach a centrifugal fibrous-bed bioreactor comprising cells immobilized in a spiral wound fibrous matrix packed in the bioreactor which may be used for separating target material, these references fail to teach the use of beads coated with antibodies. NEW CITATIONS	Industrial Applicability (IA)	Claims	1-13	Y
Claims 1-13 meet the criteria set out in PCT Article 33(2)-(4), because the prior art does not teach or fairly suggest a dev for separating target microorganism from a suspension containing mixed group of microorganisms using a device compris an enclosure made of grid material enclosing a plurality of beads coated with at least one antibody material to capture the target microorganism. Which device further comprising means to agitate said enclosure. Although Lewis et al and Yang al teach a centrifugal fibrous-bed bioreactor comprising cells immobilized in a spiral wound fibrous matrix packed in the bioreactor which may be used for separating target material, these references fail to teach the use of beads coated with antibodies. LEWIS et al. Continuous Propionic Acid Fermentation by Immobilized Propionibacterium acidipropionici in a Novel Packed-Bed Bioreactor. Biotechnology and Bioengineering. 05 August 1992, Vol. 40, No. 4, pages 465-474. YANG et al. Kinetics and Stability of GM-CSF Production by recombinant Yeast Cells Immobilized in a Fibrous-Bed Bioreactor. Biotechnol. Prog. 1996, Vol. 12, No. 4, pages 449-456. YANG et al. Xanthan Gum Fermentation by Xanthomonas campestris immobilized in a novel centrifugal fibrous-bed	industrial Applicationity (1A)			N
			mmobilized <i>Propionibacterium acidiprop</i>	<i>ionici</i> in a Novel
	LEWIS et al. Continuous Propionic Acid For Packed-Bed Bioreactor. Biotechnology and YANG et al. Kinetics and Stability of GM-Bioreactor. Biotechnol. Prog. 1996, Vol.	ermentation by land Bioengineering CSF Production 12, No. 4, pagesty Xanthomonas	. 05 August 1992, Vol. 40, No. 4, pages by recombinant Yeast Cells Immobilized 449-456. campestris immobilized in a novel centrif	in a Fibrous-Bed
·	LEWIS et al. Continuous Propionic Acid For Packed-Bed Bioreactor. Biotechnology and YANG et al. Kinetics and Stability of GM-Bioreactor. Biotechnol. Prog. 1996, Vol.	ermentation by land Bioengineering CSF Production 12, No. 4, pagesty Xanthomonas	. 05 August 1992, Vol. 40, No. 4, pages by recombinant Yeast Cells Immobilized 449-456. campestris immobilized in a novel centrif	in a Fibrous-Bed

- 8. The method of claim 7 wherein the time period of agitation is at least 30 minutes.
- 9. The method of claim 7 wherein the time period of agitation extends for several hours.
 - 10. The method of claim 5 including the addition of at least one detergent to the suspension to decrease adsorption of non-specifically bound cells.
 - 11. The method of claim 5 including the subsequent step of immersing the enclosure and beads in a new growth broth.
- 10 12. The method of claim 11 including the addition of an indicator material to the new growth broth.
 - 13. The method of claim 5 including the subsequent step of separating the beads from the enclosure followed by at least one test to reveal the microorganisms of interest.
- 15 (JMD\Eden p.7a to Pat. Applic.)





INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: B01J 8/18, F27B 15/00, 15/08

A1 (--)

(11) International Publication Number:

WO 00/10702

1/43

(43) International Publication Date:

2 March 2000 (02.03.00)

(21) International Application Number:

PCT/US99/18618

(22) International Filing Date:

23 August 1999 (23.08.99)

(30) Priority Data:

60/097,627

24 August 1998 (24.08.98)

US

(71)(72) Applicant and Inventor: EDEN, Ruth, F. [US/US]; 2765 Ember Way, Ann Arbor, MI 48104 (US).

(74) Agent: DEIMEN, James, M.; Suite 300, 320 N. Main Street, Ann Arbor, MI 48104-1192 (US). (81) Designated States: AL, AM, AU, AZ, BA, BG, BR, BY, CA, CN, CZ, EE, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LK, LT, LV, MD, MK, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TJ, TM, TR, UA, US, UZ, VN, YU, ZA, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).


Published

With international search report.

(54) Title: METHOD AND DEVICE FOR CONCENTRATING SELECTED GROUPS OF MICROORGANISMS

(57) Abstract

A method and device are described to concentrate target organisms from a mixture of organisms. Beads (1) made of material such as nylon, polystyrene or glass are coated with antibodies of specific microorganisms. The beads (1) are contained in an enclosure (2) surrounded by grid material (4). The pore size of the grid is smaller than the size of the beads, to assure that the beads stay within the grid material and larger than the size of the microorganisms to allow the interaction of the microorganisms with the beads. A rod (5) is attached to the upper part of the enclosure (2) allowing the agitation of the device inside he growth medium containing the target organisms.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

ĺ	_	-	-				
AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Кепуа	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	u	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		٠.
							•

INTERNATIONAL SEARCH REPORT

International application No.	
CT/US99/18618	

	·_ · · · · · · · · · · · · · · · ·		
IPC(6) US CL	SSIFICATION OF SUBJECT MATTER :B01J 8/18; F27B 15/00, 15/08 :422/99, 139, 140, 135, 143, 147, 141 to International Patent Classification (IPC) or to bo	th national classification and IPC	
B. FIEI	LDS SEARCHED		
Minimum d	locumentation searched (classification system follo	wed by classification symbols)	
U.S. :	422/99, 139, 140, 135, 143, 147, 141		
Documenta	tion searched other than minimum documentation to	the extent that such documents are included	in the fields searched
Electronic of APS, STR	data base consulted during the international search	(name of data base and, where practicable	, search terms used)
C. DOC	UMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where	appropriate, of the relevant passages	Relevant to claim No.
Y	US 3,840,345 A (ANDRE et al) document.	08 October 1974, see entire	1-7
Y	US 4,931,401 A (SAFI) 05 June 19	90, see entire document.	1-7
Y	US 5,009,852 A (KITA et al) 23 Ap	ril 1991, see entire document.	1-7
Y	US 5,186,824 A (ANDERSON et al document.) 16 February 1993, see entire	1-7
A	US 5,776,710 A (LEVINE et al) 07 J	uly 1998, see entire document.	1-7
7 5			
	er documents are listed in the continuation of Box	<u> </u>	
A* doc	cial categories of cited documents: ument defining the general state of the art which is not considered o of particular relevance	"T" later document published after the inter- date and not in conflict with the applic the principle or theory underlying the i	ation but cited to understand
	er document published on or after the international filing date	"X" document of particular relevance; the considered novel or cannot be considered	
cited	ment which may throw doubts on priority claim(s) or which is to establish the publication date of another citation or other ial reason (as specified)	when the document is taken alone "Y" document of particular relevance: the	
	ment referring to an oral disclosure, use, exhibition or other	considered to involve an inventive a combined with one or more other such o being obvious to a person skilled in the	locuments, such combination
P* docu the p	ment published prior to the international filing date but later than priority date claimed	'&' document member of the same patent for	emily
Pate of the a	tual completion of the international search	Date of mailing of the international searce NOV 19	th report
Commissione	uiling address of the ISA/US	Authorized officer	M
Box PCT Washington,	D.C. 20231	BAO-THUY L. NGUYEN	50
ecsimile No.	(703) 305-3230	Telephone No. (703) 308-0196	



PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:

B01J 8/18, F27B 15/00, 15/08

A1 (11) International Publication Number: WO 00/10702

(43) International Publication Date: 2 March 2000 (02.03.00)

(21) International Application Number: PCT/US99/18618

(22) International Filing Date: 23 August 1999 (23.08.99)

60/097,627 24 August 1998 (24.08.98) US

(71)(72) Applicant and Inventor: EDEN, Ruth, F. [US/US]; 2765 Ember Way, Ann Arbor, MI 48104 (US).

(74) Agent: DEIMEN, James, M.; Suite 300, 320 N. Main Street, Ann Arbor, MI 48104-1192 (US).

(81) Designated States: AL, AM, AU, AZ, BA, BG, BR, BY, CA, CN, CZ, EE, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LK, LT, LV, MD, MK, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TJ, TM, TR, UA, US, UZ, VN, YU, ZA, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

Published


With international search report.

(54) Title: METHOD AND DEVICE FOR CONCENTRATING SELECTED GROUPS OF MICROORGANISMS

(57) Abstract

(30) Priority Data:

A method and device are described to concentrate target organisms from a mixture of organisms. Beads (1) made of material such as nylon, polystyrene or glass are coated with antibodies of specific microorganisms. The beads (1) are contained in an enclosure (2) surrounded by grid material (4). The pore size of the grid is smaller than the size of the beads, to assure that the beads stay within the grid material and larger than the size of the microorganisms to allow the interaction of the microorganisms with the beads. A rod (5) is attached to the upper part of the enclosure (2) allowing the agitation of the device inside he growth medium containing the target organisms.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

Method and Device for Concentrating Selected Groups of Microorganisms

5 Background - Field of Invention.

This application is based on provisional patent application Serial No. 60/097,627, filed August 24, 1998.

The present invention relates to products and processes used for the detection of microbes in a sample. More specifically, the present invention provides a method and device for aiding in the detection of the presence of specific microbial contamination in food samples, clinical specimens and other products.

Background -- Prior Art.

10

15

20

25

30

It is necessary to test various substances, such as foods, beverages, pharmaceuticals, cosmetics, water, and body fluids for microbial contamination, especially with certain pathogenic bacteria. Recent outbreaks of foodborne illness, implicating a variety of foods contaminated with pathogenic bacteria, such as *E. coli* 0157:H7, *Salmonella, Listeria, Campylobacter jejuni*, and *Cyclospora*, have underscored the need for rapid methods for microbiological analysis. Microbiological analysis is critical for assessment of safety and quality, to determine efficiency of manufacturing, and conformance with regulations.

The increased scope, significance, and need for microbiological testing served to reveal the limitations and drawbacks of conventional methods. Classical methods for determining the presence of pathogenic bacteria in samples are taking typically several days to perform. It is desired to provide rapid detection of especially pathogenic bacteria causing illnesses.

Since the desired sensitivity for most assays for pathogenic bacteria is less than one such organism in 25 grams of product, most testing methods rely on an initial enrichment step. The indigenous microflora that is usually present in many foods at high levels often interferes with the selective isolation and identification of pathogenic bacteria. Food processing such as heating, cooling, drying,

2

freezing, addition of preservatives and other causes can sub-lethally injure bacterial cells. These injured cells are extremely sensitive to the ingredients used in selective microbiological media. Therefore, in many assays the process starts with pre-enrichment, in which the sample is incubated in a nutritious, non-selective medium to allow the resuscitation of injured or stressed bacteria. This step is followed by a selective enrichment step where the bacteria of interest are allowed to grow while the indigenous microflora is suppressed. The enrichment procedure is followed either by conventional plating methodology or a variety of more modern and rapid methods such as DNA amplification or immunoassay.

5

10

15

20

25

30

It is therefore desired to separate at an early stage the target organisms from the other flora present in the product. One such approach is the utilization of the immuno-magnetic separation technique, involving the utilization of immuno-magnetic particles specific for the target organisms. Magnetic beads with antibodies affixed to their surfaces are mixed with the sample containing the target organism. This organism will bind to the bead surfaces via the antibodies. The organism-bead complex is pulled out of the solution by a magnet, to concentrate the microorganisms.

U.S. patent 4,230,685 describes magnetically responsive microspheres having protein A associated with the outer surface. The microspheres are reacted with antibodies selective to cells, bacteria or viruses to be separated from a mixed population. The microorganism will attach to the antibody and thereby to the microspheres, and the microspheres are then used in a magnetic separation procedure. The preferred microspheres are prepared from a mixture of albumin, Protein A, and magnetic particles. The microspheres are prepared so that the Protein A is present in the exterior surface of the antibody binding. U.S. patent 4,695,393 describes a process for the preparation of such magnetic beads, which can be used in separation of microorganisms.

U.S. patents 5,491,068 and 5,695,946 describe a method characterized by antibody capture of the organism of interest by the application of specialized magnetic beads. It entails the incubation of the capture cells to form colonies; removal of material from the colonies with colony lift membrane; and detection of the colony material on the membrane sheet by the use of labeled antibodies, PCR or nucleic acid probes. The main problem with this method is the low

3

sensitivity of one organism per gram. This low sensitivity is inherent in the methodology and is 50-100 fold lower than the desired sensitivity for most food pathogens.

U.S. patent 4,677,055 describes a process for concentrating bacteria utilizing magnetic gel to which anti-specific antigenic determinant antibodies are coupled. It involves the steps of obtaining medium containing the organisms possessing specific antigenic determinants and bringing them in contact with particles of the magnetic gel. This step is followed by the separation of the gel from the medium by magnetic means and inoculation into new medium.

In general there are a number of problems associated with magnetic beads. One such problem results from the small size of such beads (3-10 μ m) and the large volume of the medium (250-3,000 ml). As a result it is impossible to remove the magnetic beads from such a large volume. Therefore, many procedures either use a lower sample volume (thereby reducing the sensitivity of the assay) or allow some time (8-18 hours) of pre-enrichment followed by the removal of 1-5 ml of solution for concentration of the target organisms. Another problem associated with the magnetic beads is the fact that they get coated with fat and proteins making it difficult to be collected with a magnet. The process of separating the beads from the medium and washing the unattached bacteria is labor intensive, and creates a contamination hazard of both laboratory surfaces and the beads.

Objects and Advantages.

5

10

15

20

25

30

It is, therefore, an object of the invention to provide a method and device that can be utilized with a large volume of media, to concentrate a target organism. It is another object of the invention to provide a method that is less labor intensive, more rapid and will lend itself to automation.

Still further objects and advantages will become apparent from a consideration of the ensuing description and accompanying drawings.

Brief Description of the Drawings.

Fig. 1 shows a side view of the preferred device utilized to concentrate target organisms.

4

Fig. 2 shows a side view of another design of the device utilized to concentrate target organisms.

Preferred Embodiment -- Description.

5

10

15

20

25

30

Figure 1 shows the preferred embodiment of a device for the separation of the target organisms from a suspension containing a mixture of organisms. Beads 1 are made of materials such as nylon, polystyrene or glass. The beads are coated with antibodies to specific microorganisms such as Salmonella, E. coli 0157:H7 and Listeria. A cylindrical enclosure 2 is designed to contain the beads. The enclosure is constructed from a frame 3 supporting a grid 4 covering the frame. The grid's pore size is smaller than the size of the beads to assure that the beads stay within the enclosure 2. However, the pore size is large enough to allow bacteria to freely pass into the enclosure. A rod 5 is attached to the upper part of the enclosure. The rod 5 allows the enclosure 2 to move in the solution and for subsequent removal of the device from the solution.

Figure 2 shows a different design of the device. The beads 11 coated with antibodies are contained in the enclosure 12 made of a grid 13, shaped like a tea bag. A non-wicking string 14 is attached to the upper part of the enclosure 12 allowing movement of the enclosure 12 in the solution, while disallowing the solution containing bacteria to wick up the string. The grid's 13 pore size is smaller than the size of the beads to assure that the beads stay within the enclosure. However, the pore size is large enough to allow bacteria to freely pass into the enclosure.

The food sample to be tested for the presence of the target organism is mixed with the appropriate pre-enrichment broth. The pre-enrichment broth is incubated at an appropriate temperature. Upon the beginning of the incubation period, or alternatively after several hours of incubation, the enclosure 2 is immersed into the broth containing the sample thereby exposing the beads having immobilized thereon monoclonal or polyclonal antibodies to the selected bacteria of interest. This is accomplished by lowering the device 2 into the solution and agitating it for at least 30 minutes and up to several hours. This step allows cell capture by the beads, and the creation of bead-target microbial cell complexes. The next step involves the separation of the beads with the bound target cells from

the suspension containing the food particles and other mixed flora. This is accomplished by pulling the whole device out of the solution, using the rod 5. The device is subsequently washed several times in sterile saline or buffer solution. The washing solution is changed after each wash to remove non-bound organisms. Addition of detergents such as Tween-20 (0.51-0.1 % w/v) or protamine to the incubation broth mixture usually decreases the non-specific adsorption. Tween-20 can be also used in the washing procedure to remove non-specifically bound cells. After the wash step a number of methods can be utilized to detect the presence of the target organism.

Several detection procedures can be used in conjunction with the current invention to detect the presence of the microorganism of interest. For example, the device can be inserted into a new growth broth that includes a dye indicator and the changes in the dye characteristics can be utilized to determine presence or absence of the target organism. The microorganisms do not need to be detached from the beads since attachment to the beads has no effect on their growth. Therefore cells can continue to multiply in the appropriate medium. Alternatively the beads can be removed from the enclosure and inoculated onto the surface of appropriate selective or differential agar. Another approach is to utilize an immunoassay. Most immunoassays require 10³-10⁵ cells ml⁻1, therefore the beads should contain enough cells to perform a direct immunoassay. Similarly, this method can be combined with DNA hybridization and amplification techniques such as PCR.

As can be seen from the above disclosure, the method of the invention is particularly characterized by the use of immunological beads contained in an enclosure to select out target microorganisms from the sample. The beads must be capable of effectively capturing the target microorganisms from the test sample, while not capturing significant numbers of other organisms that might be present at much higher numbers. However, the antibody used need not be totally specific to the target organism since an additional selection step is available at the end of the assay. The antibodies must be oriented with their binding sites outward to allow contact between the binding portion of the antibody and the target organism. The size of the beads must be larger than the size of the microorganism, to remain contained in the enclosure, while allowing the target

6

organism to enter the enclosure and attach to the beads. The contact time between the beads and the target organism must be long enough to allow strong interaction. Several hours of interaction was found to yield the best results, i.e. the creation of strong interactions to produce high capture efficiency. After the completion of the incubation step the beads are removed from the solution, by the removal of the enclosure in which they are contained. The enclosure and the beads are washed several times, and the beads are transferred into the detection system.

Conclusions, Ramifications, and Scope.

5

10

15

20

Accordingly, it can be seen that the new method and device can be utilized with a large volume of media, to concentrate a target organism, without the need to utilize only a portion of the pre-enrichment broth or a small volume of enrichment broth as required for magnetic beads. The invention provides a method and device that is less labor intensive, more rapid and lends itself to automation. Many different designs, for containing the beads during the various steps of the assay, can be utilized.

Obviously, many modifications and variations of the present invention are possible in light of the above techniques. Although the description above contains many specificities, these should not be construed as limiting the scope of the invention but as merely providing illustrations of some of the presently preferred embodiments of this invention. The invention may be practiced otherwise than as specifically described.

What is claimed is:

5

10

15

20

1. A device for separating specific target microorganisms from suspension containing mixed groups of microorganisms, comprising:

7

a plurality of beads coated with at least one antibody material to capture the target microorganisms; and

an enclosure made of a grid material enclosing said beads, with a pore size smaller than the size of said beads and larger than the size of the microorganisms.

- 2. The device of claim 1 wherein said beads are made of resinous material.
- 3. The device of claim 1 wherein said beads are made of non resinous material.
- 4. The device of claim 1 further comprising means to agitate said enclosure in the suspension.
- 5. A method of separating target microorganisms from a suspension containing mixed groups of microorganisms, comprising:

immersing a plurality of beads coated with at least one antibody material into the suspension, said beads being held by an enclosure made of a grid with a pore size smaller than the size of said beads and larger than the size of the microorganisms, thereby allowing the capture of the target microorganisms by said beads; and

washing said beads to remove organisms not bounded to said beads, after pulling said enclosure from the suspension.

- 6. The method of claim 5 wherein at least one detergent is applied in said washing.
 - 7. The method of claim 5 further comprising agitation of said enclosure holding said beads in the suspension.




Fig. 1




Fig. 2

	A. CLASSIFICATION OF SUBJECT MATTER							
	1							
US CL :422/99, 139, 140, 135, 143, 147, 141 According to International Patent Classification (IPC) or to both national classification and IPC								
	THE DO ON POWER							
	ocumentation searched (classification system followed	d by classification symbols)						
	122/99, 139, 140, 135, 143, 147, 141							
Documentati	on searched other than minimum documentation to the	extent that such documents are included	in the fields searched					
	Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)							
Electronic d	ata base consulted during the international search (na	ime of data base and, where practicable,	Scarcii termis about					
APS, STN								
C. DOC	UMENTS CONSIDERED TO BE RELEVANT							
Category*	Citation of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.					
Y	US 3,840,345 A (ANDRE et al) 0	8 October 1974, see entire	1-7					
	document.	ļ						
Y	US 4,931,401 A (SAFI) 05 June 1996	0, see entire document.	1-7					
•			1 7					
Y	US 5,009,852 A (KITA et al) 23 Apri	1-7						
Y	US 5,186,824 A (ANDERSON et al)	16 February 1993, see entire	1-7					
-	document.							
	US 5,776,710 A (LEVINE et al) 07 Ju	ly 1998, see entire document.	1-7					
A	05 5,7/6,710 A (LEVINE et al) 07 30	19 1990, see chine document	-					
			: !					
Furth	ner documents are listed in the continuation of Box C	See patent family annex.						
<u> </u>	ecial categories of cited documents:	The hour down and mublished after the inte	rnational filing data or priority					
•A• do	cument defining the general state of the art which is not considered	date and not in conflict with the appl the principle or theory underlying the	Invention					
1	be of particular relevance rlier document published on or after the international filing date	"X" document of particular relevance; the considered novel or cannot be considered.	e claimed invention cannot be red to involve an inventive step					
cit	cument which may throw doubts on priority claim(s) or which is ed to establish the publication date of another citation or other	when the document is taken alone "Y" document of particular relevance; the	e claimed invention cannot be					
O do	scial reason (as specified) cument referring to an oral disclosure, use, exhibition or other	considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art						
P' do	cument published prior to the international filing date but later than	*&* document member of the same patent family						
	actual completion of the international search	Date of mailing of the international sea	rch report					
18 NOVE	:MBER 1999	0014041						
	mailing address of the ISA/US	Authorized officer	$\sim 1/4$					
Box PCT	ner of Patents and Trademarks	BAO-THUY L. NGUYEN	&X6					
Facsimile N	n, D.C. 20231 Io. (703) 305-3230	Telephone No. (703) 308-0196						